

CE 0085



CERT

**EU type examination certificate**  
**EU-Baumusterprüfbescheinigung**

**CE-0085CR0394**  
Product Identification No.  
Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
<b>Owner of Certificate</b> <i>Zertifikatinhaber</i>	Ariston Thermo S.p.A. Viale Aristide Merloni, 45, I-60044 Fabriano (AN)
<b>Distributor</b> <i>Vertreiber</i>	Ariston Thermo S.p.A. Viale Aristide Merloni, 45, I-60044 Fabriano (AN)
<b>Product Category</b> <i>Produktart</i>	Boilers with flue systems: Condensing water heater (3202)
<b>Product Description</b> <i>Produktbezeichnung</i>	Condensing combi water heater with closed combustion chamber
<b>Model</b> <i>Modell</i>	ALTEAS ONE...
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, RS, RU, SE, SI, SK, TR, UA
<b>Test Reports</b> <i>Prüfberichte</i>	type testing: K1934 2018 B 11 from 01.03.2018 (TRG)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 15502-1 (01.10.2015) DIN EN 15502-2-1 (01.09.2017)
<b>Validity / File no.</b> <i>Gültigkeit / AZ</i>	21.04.2018 until 20.04.2028 / 18-0026-GEA

7:208 04 v. 3E

20.04.2018 Kö A-1/2

Date, Issued by, Sheet, Head of Certification Body  
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



DVGW CERT GmbH  
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
53123 Bonn

Tel. +49 228 91 88 - 888  
Fax +49 228 91 88 - 993

www.dvgw-cert.com  
info@dvgw-cert.com

Appliance Categories <i>Geräte kategorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I2H	20 mbar	AT, BG, CH, CZ, EE, FI, HR, IE, IS, LT, LV, NO, RO, SE, SK, TR	
I2HS	20 mbar	HU	
I3+	30/37 mbar	ES, FR, IE, PT	
I3B/P	30 mbar	AT, BE, DE, DK, EE, FI, NL, NO, RO	
I3B/P	37 mbar	BE, CH, CZ, GR, IT, LT, PL, SI, SK	
I3B/P	50 mbar	AT, BE, BG, CH, CY, CZ, DE, GR, HR, HU, IS, LU, LV, MT, NL, SK, TR	
I3P	37 mbar	GB	
I3P	50 mbar	GB	
I12E3B/P	20, 30 mbar	RO	
I12E3B/P	20, 37 mbar	PL	
I12E3B/P	20, 50 mbar	LU	
I12E3B/P	25, 37 mbar	RO	
I12Esi3B/P	20/25, 30/37 mbar	FR	
I12H3+	20, 30/37 mbar	IE	
I12H3B/P	20, 30 mbar	AT, EE, FI, HR, NO, RO, SE	
I12H3B/P	20, 37 mbar	CH, CZ, LT, SK	
I12H3B/P	20, 50 mbar	AT, CH, CY, CZ, IS, LV, SK, TR	
I12H3B/P	25, 30 mbar	RO	
I12HM3B/P	20, 37 mbar	IT	
I12HS3B/P	25, 50 mbar	HU	
I11c2E+3+	8, 20/25, 37 mbar	FR	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
ALTEAS ONE NET 24; ALTEAS ONE WIFI 24	sanitary water heat input (Hi): 2,5...26,0 kW nominal heat output: 2,3...21,5 kW heat input (Hi): 2,5...22,0 kW	
ALTEAS ONE NET 30; ALTEAS ONE WIFI 30	sanitary water heat input (Hi): 3,0...30,0 kW nominal heat output: 2,8...27,5 kW heat input (Hi): 3,0...28,0 kW	
ALTEAS ONE NET 35	sanitary water heat input (Hi): 3,5...34,5 kW nominal heat output: 3,3...30,8 kW heat input (Hi): 3,5...31,0 kW	

### Hints of Utilization /Remarks

#### Verwendungshinweise / Bemerkungen

Electrical data: 230 V AC, 50 Hz; flue types: B23, B23P, B33, C13(x), C23, C33(x), C43(x), C53(x), C63(x), C83(x) and C93(x) according to installation manual with flue systems of Centrotec (approval no. 0036 CPR 9169 003), Muelink & Grol (approval no. 0432-BPR-220556), Skoberne (approval no. 0036 CPD 9184 001-2007), Gropalli (approval no. 0694-CPR-7968) and LN Natalini (approval no. 0694-CPR-8045).

Additional proved countries of destination, appliance categories and supply pressures:

AL, BA, BG, DK, ES, GB, GR, IS, MK, MT, PT, RS, RU, SI, UA: I2N (20 mbar); BE, DE, FR, NL: I2N (20/25 mbar)

BA, GR, SI: I12N3B/P (20, 37 mbar); DK: I12N3B/P (20, 30 mbar); LU, PL, RO: I2E (20 mbar); BE: I2E(S) (20/25 mbar);

BE: I2E+ (20/25 mbar); IT: I2HM (20 mbar); AL, BA, BG, GR, IS, MK, MT, RS, RU, UA: I12N3B/P (20, 50 mbar);

BE, DE, NL: I12N3B/P (20/25, 30 mbar); BE: I12N3B/P (20/25, 37 mbar); DE, NL: I12N3B/P (20/25, 50 mbar)

AL, BA, CY, MT, MK, RS, RU, UA: I2H (20 mbar); BA, ES: I12H3B/P (20, 37 mbar)

AL, BA, BG, MK, MT, RS, RU, UA: I12H3B/P (20, 50 mbar)

BA: I3B/P (37 mbar); AL, BA, MK, RS, RU, UA: I3B/P (50 mbar); BE, FR, ES, PT: I12N3+ (20, 30/37 mbar)

BE, FR: I12N3+ (25, 30/37 mbar); GB: I12N3P (20, 37 mbar); GB: I12N3P (20, 50 mbar)

In Albania, Bosnia and Herzegovina, Macedonia, Serbia, in the Ukraine and in the Russian Federation the CE-marking will be accepted as conformity approval if the EU-Gas Appliance Regulation (EU/2016/426) is transferred into national law by Albania, Bosnia and Herzegovina, Macedonia, Serbia, Ukraine respectively by the Russian Federation.

